STREAM\_\_\_\_\_\_
Waterbody Type

WATERBODY	<b>DESCRIPTION</b>

NAME/YEAR: Vaitele Stream / FY 2004 and FY 2005

WATERSHED: 1, Poloa

**REACH SIZE: 1.6 stream miles** 

STRESSORS: low pH, low turbidity

**# SITES MONITORED: 1** 

ASSESSMENT QUALITY							
DATA TYPE	LEVEL		LEVEL		LEVEL DESCRIPTION		DESCRIPTION
	1 2 3 4		4				
BIOLOGICAL							
HABITAT							
TOXICITY							
P/CHEMICAL		X			D. Vargo, ASCC/Land Grant Stream Monitoring		

	ASSI	ESSMENT FIND	INGS	
FULLY SUP.				
FULLY SUP. (THREAT)				X
		Threshold for attainment		
PARTIALLY SUP.				
NOT SUP.				
	BIO.	HAB.	TOX.	P/CHEM.

 $SUMMARY: \ Turbidity\ exceeded\ ASWQS\ 4\ times.\ Several\ occurrences\ of\ low\ pH.$  Further study is required.

STREAM\_\_\_\_\_\_
Waterbody Type

## WATERBODY DESCRIPTION

NAME/YEAR: ASPA Pump, Tuasina E/W, Fagalii 1, and Poumuli Tree Streams /

FY 2004 and FY 2005

WATERSHED: 2, Fagalii

**REACH SIZE: 6.6 stream miles** 

STRESSORS: high pH, low pH, high turbidity, low DO, high TN, habitat

alterations

**# SITES MONITORED: 7** 

ASSESSMENT QUALITY						
DATA TYPE	]	LEV	/EI		DESCRIPTION	
	1	2	3	3 4		
BIOLOGICAL						
HABITAT	X				ASEPA Stream Monitoring Program	
TOXICITY						
P/CHEMICAL		X			D. Vargo, ASCC/Land Grant and ASEPA Stream Monitoring Program	

	ASSI	ESSMENT FIND	INGS	
FULLY SUP.				
FULLY SUP. (THREAT)				
		Threshold for attainment		
PARTIALLY SUP.		X		
NOT SUP.				X
	BIO.	HAB.	TOX.	P/CHEM.

SUMMARY: Clearing for agriculture reduced habitat determination. Several occurrences of high and low pH. DO, turbidity and TN routinely fall outside of ASWQS. TP falls outside of ASWQS in every sample taken.

STREAM_	
Waterbody Type	

## WATERBODY DESCRIPTION

NAME/YEAR: Maloata Stream / FY 2004 and FY 2005

**WATERSHED: 3, Maloata** 

**REACH SIZE: 7.7 stream miles** 

STRESSORS: high turbidity, low DO, low pH

**# SITES MONITORED: 4** 

ASSESSMENT QUALITY							
DATA TYPE	LEVEL		_	DESCRIPTION			
	1	1 2 3 4		4			
BIOLOGICAL HABITAT	X				ASEPA Stream Monitoring Program		
TOXICITY							
P/CHEMICAL		X			D. Vargo, ASCC/Land Grant and ASEPA Stream Monitoring		

	ASSI	ESSMENT FINDI	INGS	
FULLY SUP.		X		
FULLY SUP. (THREAT)				X
		Threshold for attainment		
PARTIALLY SUP.				
NOT SUP.				
	BIO.	HAB.	TOX.	P/CHEM.

SUMMARY: Several occurrences of low DO, low pH and high turbidity. This potential problem requires further study.

_STREAM
Waterbody Type

## WATERBODY DESCRIPTION

NAME/YEAR: Matavai, Tuatafa, and Leele Streams / FY 2004 and FY 2005

WATERSHED: 4, Fagamalo

**REACH SIZE: 7.3 stream miles** 

STRESSORS: low DO, low pH, high turbidity, high TN/TP

**# SITES MONITORED: 8** 

ASSESSMENT QUALITY						
DATA TYPE	LEVEL		LEVEL		DESCRIPTION	
	1 2 3 4		4			
BIOLOGICAL						
HABITAT	X				ASEPA Stream Monitoring Program	
TOXICITY						
P/CHEMICAL				X	D. Vargo, ASCC/Land Grant and ASEPA Stream Monitoring	

ASSESSMENT FINDINGS							
FULLY SUP.		X					
FULLY SUP. (THREAT)				X			
		Threshold for attainment					
PARTIALLY SUP.							
NOT SUP.							
	BIO.	HAB.	TOX.	P/CHEM.			

SUMMARY: Several occurrences of low pH and low DO. Turbidity exceeds ASWQS 9 out of 21 times. TP is high in every sample; this may be the background level of TP, as there are no apparent sources. This illustrates a possible problem that needs more study.

STREAM	
Waterbody Type	

## WATERBODY DESCRIPTION

NAME/YEAR: Massacre Stream / FY 2005

WATERSHED: 7, Aasu

**REACH SIZE: 16.0 stream miles** 

STRESSORS: high turbidity, high TN, high TP

**# SITES MONITORED: 3** 

ASSESSMENT QUALITY								
DATA TYPE	]	LEVEL DESCRIPTION		DESCRIPTION				
	1	2	3	4				
BIOLOGICAL								
HABITAT	X				ASEPA Stream Monitoring			
TOXICITY								
P/CHEMICAL		X			ASEPA Stream Monitoring			

	ASSI	ESSMENT FIND	INGS	
FULLY SUP.		X		
FULLY SUP. (THREAT)				
		Threshold for attainment		
PARTIALLY SUP.				X
NOT SUP.				
	BIO.	HAB.	TOX.	P/CHEM.

SUMMARY: One occurrence of high turbidity. TP exceeds ASWQS 7 times; all measurements of TN exceeded ASWQS. While there are no anthropogenic disturbances to the stream area, the village on the top of the watershed may contribute to the high TP and TN. This problem requires more study.

**RESULT** = partially supporting; monitored data.

STREAM	_
Waterhody Tyne	

## WATERBODY DESCRIPTION

NAME/YEAR: Leele Stream / FY 2004 and FY 2005

WATERSHED: 8, Fagasa

**REACH SIZE: 6.0 stream miles** 

STRESSORS: low DO, high pH, high turbidity

**# SITES MONITORED: 1** 

ASSESSMENT QUALITY								
DATA TYPE	LEVEL		VEL DESCRIPTION					
	1 2	3	4					
BIOLOGICAL								
HABITAT								
TOXICITY								
P/CHEMICAL	X			D. Vargo, ASCC/Land Grant Stream Monitoring				

	ASSI	ESSMENT FIND	INGS	
FULLY SUP.				
FULLY SUP. (THREAT)				X
		Threshold for attainment		
PARTIALLY SUP.				
NOT SUP.				
	BIO.	HAB.	TOX.	P/CHEM.

SUMMARY: Several occurrences of low DO, high pH and high turbidity. This potential problem requires further study.

STREAM_	
Waterbody Type	

## WATERBODY DESCRIPTION

NAME/YEAR: Agasavili and Fagatuitui (1) Streams / FY 2004 and FY 2005

WATERSHED: 9, Fagatuitui

**REACH SIZE: 14.4 stream miles** 

STRESSORS: high TN, low DO, high pH, high turbidity, high TP

**# SITES MONITORED: 5** 

ASSESSMENT QUALITY								
DATA TYPE		LEVEL		DESCRIPTION				
	1	2	3 4					
BIOLOGICAL								
HABITAT	X			ASEPA Stream Monitoring				
TOXICITY								
P/CHEMICAL		X		ASEPA Stream Monitoring				

	ASSI	ESSMENT FIND	INGS	
FULLY SUP.		X		
FULLY SUP. (THREAT)				X
	- I	Threshold for attainment	I.	l
PARTIALLY SUP.				
NOT SUP.				
	BIO.	HAB.	TOX.	P/CHEM.

SUMMARY: TN exceeded ASWQS 4 times and TP exceeded ASWQS once; although these may be isolated incidents. Several occurrences of low DO, high pH, and high turbidity. This potential problem requires further study.

STREAM	
Waterhody Type	

## WATERBODY DESCRIPTION

NAME/YEAR: Gaoa, Faatafe and Tiaiu Falls Streams / FY 2004 and FY 2005

WATERSHED: 10, Vatia

**REACH SIZE: 14.4 stream miles** 

STRESSORS: high turbidity, low DO, low pH

**# SITES MONITORED: 3** 

ASSESSMENT QUALITY								
DATA TYPE	LE	LEVEL		DESCRIPTION				
	1 2	3 4	4					
BIOLOGICAL								
HABITAT								
TOXICITY								
P/CHEMICAL	X			D. Vargo, ASCC/Land Grant Stream Monitoring				

	ASSI	ESSMENT FIND	INGS	
FULLY SUP.				
FULLY SUP. (THREAT)				X
		Threshold for attainment		
PARTIALLY SUP.				
NOT SUP.				
	BIO.	HAB.	TOX.	P/CHEM.

SUMMARY: Routine occurrences of low DO. Turbidity exceeded ASWQS 6 times. Several occurrences of low pH. This potential problem requires more study.

\_STREAM\_\_\_\_\_ Waterbody Type

## WATERBODY DESCRIPTION

NAME/YEAR: Vaipito Stream / FY 2004 and FY 2005

WATERSHED: 13, Masausi

**REACH SIZE: 4.5** 

STRESSORS: low DO, high pH, high turbidity

**# SITES MONITORED: 1** 

ASSESSMENT QUALITY								
DATA TYPE	LE	LEVEL		DESCRIPTION				
	1 2	3	4					
BIOLOGICAL								
HABITAT								
TOXICITY								
P/CHEMICAL	X			D. Vargo, ASCC/Land Grant Stream Monitoring				

ASSESSMENT FINDINGS								
FULLY SUP.								
FULLY SUP. (THREAT)				X				
Threshold for attainment								
PARTIALLY SUP.								
NOT SUP.								
	BIO.	HAB.	TOX.	P/CHEM.				

SUMMARY: Several occurrences of low DO and high pH. Turbidity exceeded ASWQS 3 times. This potential problem requires further study.

\_STREAM\_\_\_\_\_ Waterbody Type

## WATERBODY DESCRIPTION

NAME/YEAR: Vaitolu Stream / FY 2005

WATERSHED: 15, Aoa

**REACH SIZE: 3.3 stream miles** 

STRESSORS: low DO, low pH, high turbidity

**# SITES MONITORED: 3** 

ASSESSMENT QUALITY								
DATA TYPE	]	LEV	ÆΙ	4	DESCRIPTION			
	1	2	3	4				
BIOLOGICAL								
HABITAT	X				ASEPA Stream Monitoring			
TOXICITY								
P/CHEMICAL		X			ASEPA Stream Monitoring			

ASSESSMENT FINDINGS								
FULLY SUP.		X						
FULLY SUP. (THREAT)				X				
Threshold for attainment								
PARTIALLY SUP.								
NOT SUP.								
	BIO.	HAB.	TOX.	P/CHEM.				

SUMMARY: DO fell below ASWQS 5 times. Several occurrences of low pH and high turbidity. This potential problem requires further study.

\_STREAM\_\_\_\_\_ Waterbody Type

## WATERBODY DESCRIPTION

NAME/YEAR: Afimuao, Vaisa and Ogefao Streams / FY 2004 and FY 2005

WATERSHED: 16, Onenoa

**REACH SIZE: 2.9 stream miles** 

STRESSORS: low DO, high turbidity, high pH

**# SITES MONITORED: 3** 

ASSESSMENT QUALITY								
DATA TYPE	LEVEL		LEVEL			DESCRIPTION		
	1 2	3	4					
BIOLOGICAL								
HABITAT								
TOXICITY								
P/CHEMICAL	X			D. Vargo, ASCC/Land Grant Stream Monitoring				

ASSESSMENT FINDINGS								
FULLY SUP.								
FULLY SUP. (THREAT)				X				
	•	Threshold for attainment						
PARTIALLY SUP.								
NOT SUP.								
	BIO.	НАВ.	TOX.	P/CHEM.				

SUMMARY: Several occurrences of low DO. Turbidity exceeded ASWQS 5 times and pH exceeded ASWQS 6 times. This potential problem requires further study.

STREAM\_\_\_\_\_\_
Waterbody Type

** **	WA	TERI	BODY	DESCRI	PTION
-------	----	------	------	--------	-------

NAME/YEAR: Maupua Stream / FY 2004 and FY 2005

WATERSHED: 17, Tula

REACH SIZE: 3.6 stream miles STRESSORS: low DO, high pH

**# SITES MONITORED: 1** 

ASSESSMENT QUALITY							
DATA TYPE	LEVEL		_	DESCRIPTION			
	1	2	3	4			
BIOLOGICAL							
HABITAT							
TOXICITY							
P/CHEMICAL		X			D. Vargo, ASCC/Land Grant Stream Monitoring		

	ASSI	ESSMENT FIND	INGS	
FULLY SUP.				X
FULLY SUP. (THREAT)				
	-	Threshold for attainment		1
PARTIALLY SUP.				
NOT SUP.				
	BIO.	HAB.	TOX.	P/CHEM.

SUMMARY: A few occurrences of low DO and high pH.

\_STREAM\_\_\_\_\_ Waterbody Type

## WATERBODY DESCRIPTION

NAME/YEAR: Televai and Auvaiola Streams / FY 2004 and FY 2005

WATERSHED: 20, Amouli

**REACH SIZE: 4.3 stream miles** 

STRESSORS: low DO, high pH, high turbidity, high TN, high TP

**# SITES MONITORED: 4** 

	ASSESSMENT QUALITY								
DATA TYPE	]	LEVEL		LEVEL DESCRIPTION			DESCRIPTION		
	1	2	3	4					
BIOLOGICAL									
HABITAT	X				ASEPA Stream Monitoring				
TOXICITY									
P/CHEMICAL		X			D. Vargo, ASCC/Land Grant and ASEPA Stream Monitoring				

ASSESSMENT FINDINGS							
FULLY SUP.		X					
FULLY SUP. (THREAT)							
		Threshold for attainment					
PARTIALLY SUP.							
NOT SUP.				X			
	BIO.	HAB.	TOX.	P/CHEM.			

SUMMARY: Several occurrences of low pH. Turbidity, DO, TP and TN routinely fall outside of ASWQS.

STREAM_	
Waterbody Type	

## WATERBODY DESCRIPTION

NAME/YEAR: Alofau, Auvai, Nuu, and Vaisa Streams / FY 2004 and FY 2005

WATERSHED: 21, Fagaitua

**REACH SIZE: 14.4 stream miles** 

STRESSORS: low DO, high turbidity, high TN, high TP, low pH, habitat alterations

**# SITES MONITORED: 7** 

	ASSESSMENT QUALITY								
DATA TYPE	]	LEVEL		_	DESCRIPTION				
	1	2	3	4					
BIOLOGICAL									
HABITAT	X				ASEPA Stream Monitoring				
TOXICITY									
P/CHEMICAL		X			D. Vargo, ASCC/Land Grant and ASEPA Stream Monitoring				

	ASSI	ESSMENT FIND	INGS	
FULLY SUP.				
FULLY SUP. (THREAT)				
		Threshold for attainment		
PARTIALLY SUP.		X		
NOT SUP.				X
	BIO.	HAB.	TOX.	P/CHEM.

SUMMARY: Habitat highly altered by human activity. Several occurrences of low DO and low pH. Turbidity, TP and TN exceed ASWQS in almost every sample measured.

STREAM_	
Waterbody Type	

## WATERBODY DESCRIPTION

NAME/YEAR: Alega Stream / FY 2004 and FY 2005

WATERSHED: 22, Alega

**REACH SIZE: 2.8 stream miles** 

STRESSORS: high TN, high turbidity, high TP

**# SITES MONITORED: 4** 

ASSESSMENT QUALITY							
DATA TYPE	YPE LEVEL 1 2 3 4		LEVEL		DESCRIPTION		
			2 3 4				
BIOLOGICAL							
HABITAT	X				ASEPA Stream Monitoring		
TOXICITY							
P/CHEMICAL		X			D. Vargo, ASCC/Land Grant and ASEPA Stream Monitoring		

	ASSI	ESSMENT FIND	INGS	
FULLY SUP.		X		
FULLY SUP. (THREAT)				X
		Threshold for attainment	I.	L
PARTIALLY SUP.				
NOT SUP.				
	BIO.	HAB.	TOX.	P/CHEM.

SUMMARY: 1 occurrence of high TN . Turbidity exceeded ASWQS 3 times. TP exceeded ASWQS in every sample; this is likely the background level of TP, as there are no obvious sources.

STREAM	_
Waterhody Type	

WA	TERRODY	DESCRIPTION

NAME/YEAR: Vaitele, Visa, and Camel Fall Streams / FY 2004 and FY 2005

WATERSHED: 23, Laulii-Aumi REACH SIZE: 6.0 stream miles

**STRESSORS:** 

**# SITES MONITORED: 3** 

ASSESSMENT QUALITY							
DATA TYPE	LEVEL		_	DESCRIPTION			
	1 2 3 4		4				
BIOLOGICAL							
HABITAT							
TOXICITY							
P/CHEMICAL	X			D. Vargo, ASCC/Land Grant Stream Monitoring			

	ASS	ESSMENT FIND	INGS	
FULLY SUP.				X
FULLY SUP. (THREAT)				
		Threshold for attainment		
PARTIALLY SUP.				
NOT SUP.				
	BIO.	HAB.	TOX.	P/CHEM.

STREAM_	
Waterhody Tyne	

## WATERBODY DESCRIPTION

NAME/YEAR: Vailoa, Tedi's, Market, Vaipito, Lalolamauta, Laolao Streams / FY

2004 and FY 2005

WATERSHED: 24, Pago Pago

**REACH SIZE: 21.1 stream miles** 

STRESSORS: low DO, high turbidity, low pH, high TN, habitat modification

**# SITES MONITORED: 9** 

ASSESSMENT QUALITY						
DATA TYPE	LEVEL				DESCRIPTION	
	1	1 2 3 4		4		
BIOLOGICAL						
HABITAT	X				ASEPA Stream Monitoring	
TOXICITY						
P/CHEMICAL		X			D. Vargo, ASCC/Land Grant and ASEPA Stream Monitoring	

	ASS	ESSMENT FIND	INGS	
FULLY SUP.				
FULLY SUP. (THREAT)				
		Threshold for attainment		
PARTIALLY SUP.		X		
NOT SUP.				X
	BIO.	HAB.	TOX.	P/CHEM.

SUMMARY: Habitat heavily degraded. Several occurrences of low pH. DO falls below ASWQS 47 times and turbidity falls exceeds ASWQS 23 times. TP and TN exceed ASWQS in every sample.

STREAM	
Waterbody Type	

## WATERBODY DESCRIPTION

NAME/YEAR: Fagaalu Stream / FY 2004 and FY 2005

WATERSHED: 25, Fagaalu

**REACH SIZE: 6.5 stream miles** 

STRESSORS: high pH, high turbidity

**# SITES MONITORED:** 

ASSESSMENT QUALITY								
DATA TYPE	LEVEL		,	DESCRIPTION				
	1 2 3 4		4					
BIOLOGICAL								
HABITAT								
TOXICITY								
P/CHEMICAL		X			D. Vargo, ASCC/Land Grant Stream Monitoring			

ASSESSMENT FINDINGS							
FULLY SUP.							
FULLY SUP. (THREAT)				X			
		Threshold for attainment					
PARTIALLY SUP.							
NOT SUP.							
	BIO.	HAB.	TOX.	P/CHEM.			

SUMMARY: Several occurrences of high pH. Turbidity exceeds ASWQS 4 times. This potential problem requires further study.

STREAM	
Waterhody Tyne	

## WATERBODY DESCRIPTION

NAME/YEAR: Afuelo, Avau, Utulaina, and Afu Stream / FY 2004 and FY 2005

WATERSHED: 26, Matuu

**REACH SIZE: 7.5 stream miles** 

STRESSORS: low DO, high pH, low pH, high turbidity, habitat degradation

**# SITES MONITORED: 4** 

ASSESSMENT QUALITY							
DATA TYPE	LEVEL		LEVEL DESCRIPTION		DESCRIPTION		
	1	2	3	4			
BIOLOGICAL							
HABITAT	X			ASEPA Observations			
TOXICITY							
P/CHEMICAL		X			D. Vargo, ASCC/Land Grant Stream Monitoring		

ASSESSMENT FINDINGS							
FULLY SUP.							
FULLY SUP. (THREAT)				X			
		Threshold for attainment					
PARTIALLY SUP.							
NOT SUP.		X					
	BIO.	HAB.	TOX.	P/CHEM.			

SUMMARY: Several occurrences of low DO, low pH and high pH. Turbidity exceeded ASWQS 12 times. Employees of ASEPA have observed, during other inspections, open cesspools, pig farms, and other anthropogenic sources that are directly altering stream habitat and water quality.

**RESULT** = not supporting; monitored and evaluated data.

STREAM\_\_\_\_\_\_\_
Waterbody Type

#### WATERBODY DESCRIPTION

NAME/YEAR: Amaile, Papa, Nuuuli, Vaitele, and Mataalii Streams / FY 2004 and

FY 2005

WATERSHED: 27, Nuuuli Pala

**REACH SIZE: 24.0** 

STRESSORS: high turbidity, high TN, habitat modification, low DO, high TP, low

pH, high pH, habitat alteration

**# SITES MONITORED: 14** 

ASSESSMENT FINDINGS							
FULLY SUP.							
FULLY SUP. (THREAT)							
		Threshold for attainment					
PARTIALLY SUP.		X					
NOT SUP.				X			
	BIO.	HAB.	TOX.	P/CHEM.			

SUMMARY: Several occurrences of low pH and high pH. DO, turbidity, TP and TN routinely exceed ASWQS. Habitat has been highly modified.

STREAM	_
Waterhody Tyne	

## WATERBODY DESCRIPTION

NAME/YEAR: Leaufu, Vaipuna, and Fuafua Streams / FY 2004 and FY 2005

WATERSHED: 30, Leone

**REACH SIZE: 26.2 stream miles** 

STRESSORS: low DO, low pH, high turbidity

**# SITES MONITORED: 3** 

ASSESSMENT QUALITY								
DATA TYPE	LEVEL		_	DESCRIPTION				
	1 2	2 3	4					
BIOLOGICAL								
HABITAT								
TOXICITY								
P/CHEMICAL	X			D. Vargo, ASCC/Land Grant Stream Monitoring				

ASSESSMENT FINDINGS								
FULLY SUP.								
FULLY SUP. (THREAT)				X				
	ı	Threshold for attainment						
PARTIALLY SUP.								
NOT SUP.								
	BIO.	HAB.	TOX.	P/CHEM.				

SUMMARY: Several occurrences of low pH. DO fell below ASWQS 13 times and turbidity exceeded ASWQS 11 times. This potential problem requires further study.

STREAM	
Waterhody Tyne	

## WATERBODY DESCRIPTION

NAME/YEAR: Atauloma and Asili Stream / FY 2004 and FY 2005

WATERSHED: 31, Afao-Asili REACH SIZE: 3.2 stream miles

STRESSORS: low pH, high pH, low DO, high turbidity, high TN

**# SITES MONITORED: 5** 

ASSESSMENT QUALITY							
DATA TYPE	LEVEL		4	DESCRIPTION			
	1	1 2 3 4		4			
BIOLOGICAL HABITAT TOXICITY	SIOLOGICAL X			ASEPA Stream Monitoring			
P/CHEMICAL		X			D. Vargo, ASCC/Land Grant and ASEPA Stream Monitoring		

ASSESSMENT FINDINGS								
FULLY SUP.								
FULLY SUP. (THREAT)		X		X				
		Threshold for attainment						
PARTIALLY SUP.								
NOT SUP.								
	BIO.	HAB.	TOX.	P/CHEM.				

SUMMARY: Several occurrences of low pH, high pH, and high TN. Turbidity exceeded ASWQS 9 times. This potential problem requires further study.

STREAM_	
Waterbody Type	

## WATERBODY DESCRIPTION

NAME/YEAR: Leaute, Afutele, Lepisi, Vaialae, and Saonapule Stream / FY 2004

and FY 2005

WATERSHED: 32, Nua-Seetaga

**REACH SIZE: 7.5** 

STRESSORS: Low pH, high pH, high turbidity, high TN, low DO

**# SITES MONITORED: 8** 

ASSESSMENT QUALITY									
DATA TYPE	LEVEL			,	DESCRIPTION				
	1	2	3	4					
BIOLOGICAL HABITAT TOXICITY	X				ASEPA Stream Monitoring				
P/CHEMICAL		X			D. Vargo, ASCC/Land Grant amd ASEPA Stream Monitoring				

ASSESSMENT FINDINGS								
FULLY SUP.								
FULLY SUP. (THREAT)		X		X				
Threshold for attainment								
PARTIALLY SUP.								
NOT SUP.								
	BIO.	HAB.	TOX.	P/CHEM.				

SUMMARY: One occurrence of TN. Several occurrences of low DO, low pH, and high pH. Turbidity exceeded ASWQS 13 times. This potential problem requires further study.